



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/673,808

09/29/2003

Ronnie Neil Patton

SLA1418

2211

7590
Gerald W. Maliszewski
P.O. Box 270829
San Diego, CA 92198-2829

08/19/2008

EXAMINER

RODRIGUEZ, LENNIN R

ART UNIT

PAPER NUMBER

2625

MAIL DATE

DELIVERY MODE

08/19/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/673,808	Applicant(s) PATTON ET AL.	
	Examiner LENNIN R. RODRIGUEZ	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 June 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 and 22-42 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 and 22-42 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1, 3-20 and 22-42 have been considered but are moot in view of the new ground(s) of rejection. Applicant's added limitations to the claims require new grounds of rejection.

Claim Objections

2. Claim 20 is objected to because of the following informalities:

(1) claim 20, line 6, "text files **with** analyzing" should be – text files **without** analyzing--.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

4. Claims 1, 2-20 and 22-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayward et al. (US 7,031,004) in view of Wadley (US 2002/0181014) and DeHority (US 5,129,639).

(1) regarding claim 1:

Hayward '004 discloses in a print system, a method for adaptively controlling print options, the method comprising:

accepting an imaging job at an imaging device (column 5, lines 65-67 and column 6, lines 1-7, the document is received);

without analyzing the imaging job content, the imaging device determining an imaging job file type selected from a group consisting of electronic image files and electronic text files (column 6, lines 8-16, the type is known without analyzing since it is known previously);

Hayward '004 discloses all the subject matter as described above except in response to determining the imaging job file type, the imagine device determining the imaging job characteristics selected from a group including optimal print media, ink chemistry, and image processing;

However, Wadley '014 teaches in response to determining the imaging job file type, the imagine device determining the imaging job characteristics selected from a group including optimal print media, ink chemistry, and image processing (paragraph [0027], lines 1-5, where the characteristics are determined in accordance with print data within a print job);

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include that in response to determining the imaging job file type, the imagine device determining the imaging job characteristics selected from a group including optimal print media, ink chemistry, and image processing as taught by Wadley '014 because with this, it is provided a way for an

Art Unit: 2625

organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

Hayward '004 and Wadley '014 disclose all the subject matter as described above except the imaging device determining an imaging system's capabilities;

the imaging device matching imaging capabilities to job characteristics; and, performing the imaging job on an imaging device.

However, DeHority '639 teaches the imaging device determining an imaging system's capabilities (column 12, lines 30-43, where the printer by being compare to the job characteristics is an indication of determining the capabilities in order to make the matching);

the imaging device matching imaging capabilities to job characteristics (column 12, lines 30-43, where the printer by being compare to the job characteristics is an indication of determining the capabilities in order to make the matching); and,

performing the imaging job on an imaging device (column 2, lines 64-66).

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include the imaging device determining an imaging system's capabilities, the imaging device matching imaging capabilities to job characteristics and, performing the imaging job on an imaging device as taught by DeHority '639 because with this, to allow the user to

Art Unit: 2625

specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(2) regarding claim 20:

Hayward '004 further discloses an imaging device system for adaptively controlling print options, the system comprising:

determining the imaging job file type selected from a group consisting of electronic image files and electronic text files with analyzing the imaging job content (column 6, lines 8-16, the type is known without analyzing since it is known previously **(it is assumed the applicant meant “without” analyzing as disclosed in claim 1)**);

Hayward '004 discloses all the subject matter as described above except a controller embedded with an imaging device having an interface to accept an imaging job and in response to determining the file type, determining imaging job characteristics selected from a group including optimal print media, ink chemistry, and image processing;

However, Wadley '014 teaches a controller embedded with an imaging device (154 in Fig. 4) having an interface to accept an imaging job (paragraph [0034], line1), and in response to determining the file type, determining imaging job characteristics selected from a group including optimal print media, ink chemistry, and image processing (paragraph [0027], lines 1-5, where the characteristics are determined in accordance with print data within a print job);

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include a controller embedded with an imaging device having an interface to accept an imaging job and in response to determining the file type, determining imaging job characteristics selected from a group including optimal print media, ink chemistry, and image processing as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

Hayward '004 and Wadley '014 disclose all the subject matter as described above except supplying selected capabilities at an interface in response to matching determined job characteristics to system capabilities; and

an imaging device output unit having an interface to accept the imaging job and selected capabilities and to supply a job output responsive to the selected capabilities.

However, DeHority '639 teaches supplying selected capabilities at an interface in response to matching determined job characteristics to system capabilities (column 3, lines 51-68 and column 4, lines 1-51, where the system is performing a matching capability by capability with the obtained characteristics of the print job); and

an imaging device output unit (printer 16 in Fig. 1) having an interface to accept the imaging job and selected capabilities (network interface 18 in Fig. 1) and to supply a job output responsive to the selected capabilities (column 2, lines 64-66, where the

Art Unit: 2625

output job is being supply with regards to the best-fit analysis being held before sending the job to the printer).

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include supplying selected capabilities at an interface in response to matching determined job characteristics to system capabilities and an imaging device output unit having an interface to accept the imaging job and selected capabilities and to supply a job output responsive to the selected capabilities. as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(3) regarding claims 3 and 22:

Hayward '004 discloses all the subject matter as described above except wherein determining an imaging system's capabilities includes determining available print media, available inks, available image processes, and imaging device firmware.

However, Wadley '014 teaches wherein determining an imaging system's capabilities includes determining available inks (paragraph [0027], lines 1-5, where the available ink is determined).

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include determining an imaging system's capabilities includes determining available inks as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

Hayward '004 and Wadley '014 disclose all the subject matter as described above except wherein determining an imaging system's capabilities includes determining available print media, available image processes, and imaging device firmware.

However, DeHority '639 teaches wherein determining an imaging system's capabilities includes determining available print media (column 3, lines 5-50, where the paper type available is one of the capabilities to be matched by the printer), available image processes (column 2, lines 50-54, where one the output devices' capabilities is image processing), and imaging device firmware (column 2, lines 67-68).

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include determining an imaging system's capabilities includes determining available print media,

Art Unit: 2625

available image processes, and imaging device firmware as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(4) regarding claim 4:

Hayward '004 discloses all the subject matter as described above except wherein determining available print media includes an action selected from a group including enacting a user interface dialog with a user, reading print media identification of paper loaded in an imaging device, and accessing a memory of stored media data.

However, Wadley '014 teaches wherein determining available print media includes an action selected from a group including enacting a user interface dialog with a user (paragraph [0028], lines 1-4, where there is a user interface enacted to the user), reading print media identification of paper loaded in an imaging device, and accessing a memory of stored media data.

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include determining available print media includes an action selected from a group including enacting a user interface dialog with a user, reading print media identification of paper loaded in an imaging device, and

Art Unit: 2625

accessing a memory of stored media data as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(5) regarding claim 5:

Hayward '004 discloses all the subject matter as described above except wherein enacting a user interface dialog includes accessing the dialog from a node selected from a group including an imaging device front panel, a web page associated with an imaging device, and a client connected to an imaging device.

However, Wadley '014 teaches wherein enacting a user interface dialog includes accessing the dialog from a node selected from a group including an imaging device front panel (paragraph [0028], lines 1-4, where the user interface being show to the user is in a display panel in the printer), a web page associated with an imaging device, and a client connected to an imaging device.

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include enacting a user interface dialog includes accessing the dialog from a node selected from a group including an imaging device front panel, a web page associated with an imaging device, and a client connected to an imaging device as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on

Art Unit: 2625

organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(6) regarding claims 6 and 29:

Hayward '004 and Wadley '014 disclose all the subject matter as described above except wherein determining available print media includes determining media characteristics selected from a group including media type, media weight, media brightness, tray number, and media name.

However, DeHority '639 teaches wherein determining available print media includes determining media characteristics selected from a group including media type (column 3, lines 5-50, where the paper type available is one of the capabilities to be matched by the printer), media weight, media brightness, tray number, and media name.

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include determining available print media includes determining media characteristics selected from a group including media type, media weight, media brightness, tray number, and media name as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to

provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(7) regarding claim 9:

Hayward '004 discloses all the subject matter as described above except wherein determining the imaging job file type includes determining the imaging job file type in response to an action selected from a group including examining a print driver print stream, enacting a user interface dialog with the user, and receiving file type information from a device driver.

However, Wadley '014 teaches wherein determining the imaging job file type includes determining the imaging job file type in response to an action selected from a group including examining a print driver print stream (paragraph [0034] and [0039], where the context-analyzer determines what type of file is being printed), enacting a user interface dialog with the user, and receiving file type information from a device driver (paragraph [0033], where the printer engine provides the file type information).

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include determining the imaging job file type includes determining the imaging job file type in response to an action selected from a group including examining a print driver print stream, enacting a user interface dialog with the user, and receiving file type information from a device driver as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the

Art Unit: 2625

content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(8) regarding claim 10:

Hayward '004 discloses all the subject matter as described above except wherein enacting a user interface dialog with a user includes accessing the dialog from a node selected from a group including an imaging device front panel, a web page associated with an imaging device, and a client connected to an imaging device.

However, Wadley '014 teaches wherein enacting a user interface dialog with a user (paragraph [0028]) includes accessing the dialog from a node selected from a group including an imaging device front panel (134 in Fig. 2), a web page associated with an imaging device, and a client connected to an imaging device.

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include enacting a user interface dialog with a user includes accessing the dialog from a node selected from a group including an imaging device front panel, a web page associated with an imaging device, and a client connected to an imaging device as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(9) regarding claims 11 and 36:

Hayward '004 discloses all the subject matter as described above except wherein determining an imaging system's capabilities includes determining the capabilities of a plurality of network-connected imaging devices;

wherein matching imaging system capabilities to job characteristics includes matching the capabilities of plurality of network- connected imaging devices to the job characteristics; and,

wherein performing the imaging job on an imaging device includes performing the imaging job of the imaging device whose capabilities best match the job characteristics.

However, Wadley '014 teaches having a plurality of network-connected imaging devices (Fig. 1 and paragraph [0022]).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made having a plurality of network-connected imaging devices as taught by Wadley '014, in the system of DeHority '639. With this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4).

Hayward '004 and Wadley '014 disclose all the subject matter as described above except wherein determining an imaging system's capabilities includes determining the capabilities of an imaging device;

wherein matching imaging system capabilities to job characteristics includes matching the capabilities of an imaging device to the job characteristics; and,

wherein performing the job on an imaging device includes performing the job of the imaging device whose capabilities best match the job characteristics.

However, DeHority '639 teaches wherein determining an imaging system's capabilities includes determining the capabilities of an imaging device (column 12, lines 30-43, where the printer by being compare to the job characteristics is an indication of determining the capabilities in order to make the matching);

wherein matching imaging system capabilities to job characteristics includes matching the capabilities of an imaging device to the job characteristics (column 3, lines 51-68 and column 4, lines 1-51, where the system is performing a matching capability by capability with the obtained characteristics of the print job); and,

wherein performing the job on an imaging device includes performing the job of the imaging device whose capabilities best match the job characteristics (column 2, lines 64-66).

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include determining an imaging system's capabilities includes determining the capabilities of an imaging device, wherein matching imaging system capabilities to job characteristics includes matching the capabilities of an imaging device to the job characteristics; and, wherein performing the job on an imaging device includes performing the job of the imaging device whose capabilities best match the job characteristics as taught by

Art Unit: 2625

DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(10) regarding claims 12 and 37:

Hayward '004 and Wadley '014 disclose all the subject matter as described above except wherein performing the imaging job on an imaging device includes performing the imaging job on an imaging device selected from a group including a printer, copier, fax, scanner, and multifunctional peripheral (MFP).

However, DeHority '639 teaches wherein performing the imaging job on an imaging device includes performing the imaging job on an imaging device selected from a group including a printer (printer 16 in Fig. 1), copier, fax, scanner, and multifunctional peripheral (MFP).

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include performing the imaging job on an imaging device includes performing the imaging job on an imaging device selected from a group including a printer, copier, fax, scanner, and multifunctional peripheral (MFP) as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between

Art Unit: 2625

the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(11) regarding claim 13:

Hayward '004 and Wadley '014 disclose all the subject matter as described above except automatically selecting the imaging device capabilities in response to matching of system capabilities to job characteristics; and

wherein performing the imaging job on an imaging device includes performing the imaging job in response to the automatic selection of imaging system capabilities.

DeHority '639 further discloses automatically selecting the imaging device capabilities in response to matching of system capabilities to job characteristics (column 12, lines 30-43, where the printer by being compare to the job characteristics is an indication of determining the capabilities in order to make the matching); and

wherein performing the imaging job on an imaging device includes performing the imaging job in response to the automatic selection of imaging system capabilities (column 2, lines 64-66).

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include automatically selecting the imaging device capabilities in response to matching of

Art Unit: 2625

system capabilities to job characteristics and wherein performing the imaging job on an imaging device includes performing the imaging job in response to the automatic selection of imaging system capabilities as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(12) regarding claim 16:

Hayward '004 discloses all the subject matter as described above except presenting a user with a user interface dialog for a selection of a means for determining the imaging system capabilities; and,

wherein determining an imaging system's capabilities includes determining capabilities in response to the selection means dialog.

However, Wadley '014 teaches presenting a user with a user interface dialog for a selection of a means for determining the imaging system capabilities (paragraph [0028], where the user is presented with options of the printer); and,

wherein determining an imaging system's capabilities includes determining capabilities in response to the selection means dialog (paragraph [0028], where then user selects from the options available).

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary

Art Unit: 2625

skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include presenting a user with a user interface dialog for a selection of a means for determining the imaging system capabilities and, wherein determining an imaging system's capabilities includes determining capabilities in response to the selection means dialog as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(13) regarding claim 17:

Hayward '004 discloses all the subject matter as described above except in response to matching of imaging system capabilities to job characteristics, presenting the match findings on a user interface to a user;

supplying a user interface dialog for a manual selection of imaging system capabilities; and,

wherein performing the imaging job on an imaging device includes performing the imaging job in response to the manual selection of imaging system capabilities.

However, Wadley '014 teaches supplying a user interface dialog for a manual selection of imaging system capabilities (paragraph [0028], where the user is presented with options of the printer); and,

wherein performing the imaging job on an imaging device includes performing the imaging job in response to the manual selection of imaging system capabilities (paragraph [0028], where then user selects from the options available).

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include supplying a user interface dialog for a manual selection of imaging system capabilities and, wherein performing the imaging job on an imaging device includes performing the imaging job in response to the manual selection of imaging system capabilities as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

Hayward '004 and Wadley '014 disclose all the subject matter as described above except in response to matching of imaging system capabilities to job characteristics, presenting the match findings on a user interface to a user;

However, DeHority '639 teaches in response to matching of imaging system capabilities to job characteristics (column 12, lines 30-43, where the printer by being compare to the job characteristics is an indication of determining the capabilities in order to make the matching), presenting the match findings on a user interface to a user (column 3, lines 20-26);

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include that

Art Unit: 2625

in response to matching of imaging system capabilities to job characteristics, presenting the match findings on a user interface to a user as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(14) regarding claim 18:

Hayward '004 further discloses wherein accepting an imaging job includes accepting an imaging job selected from a group including an electronic file (column 5, lines 65-67 and column 6, lines 1-16) and a hardcopy.

(15) regarding claim 19:

Hayward '004 and Wadley '014 disclose all the subject matter as described above except wherein performing the imaging job on an imaging device includes performing a job selected from a group including printing and scanning.

However, DeHority '639 teaches wherein performing the imaging job on an imaging device includes performing a job selected from a group including printing (column 2, lines 64-66) and scanning.

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include

Art Unit: 2625

performing the imaging job on an imaging device includes performing a job selected from a group including printing and scanning as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(16) regarding claims 23 and 32:

Hayward '004 discloses all the subject matter as described above except a user interface (UI) connected to the controller; and

wherein the controller determines available print media in response to enacting a user interface dialog with a user.

However, Wadley '014 teaches a user interface (UI) connected to the controller (Fig. 2); and

wherein the controller determines available print media in response to enacting a user interface dialog with a user (paragraph [0027], lines 1-5, where the print media type is determined, e.g. paper, plastic, etc. and paragraph [0028], lines 1-4, where the user has the option to select in the display panel).

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include a user interface (UI) connected to

Art Unit: 2625

the controller and wherein the controller determines available print media in response to enacting a user interface dialog with a user as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(17) regarding claims 26 and 33:

Hayward '004 discloses all the subject matter as described above except wherein the user interface resides at a front panel of the imaging device.

However, Wadley '014 teaches wherein the user interface resides at a front panel of the imaging device (paragraph [0028], lines 1-4, where the user interface being show to the user is in a display panel in the printer).

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include that the user interface resides at a front panel of the imaging device as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(18) regarding claims 28 and 35:

Hayward '004 further discloses a web page having an interface connected to controller (column 5, lines 29-34, where Kinko's web page is the web page), for sending

Art Unit: 2625

available print media information in response to a UI dialog (column 5, lines 39-40, where paper type and size is being interpreted as print media information); and,

wherein the UI has a connection to the web page (column 5, lines 29-34, where Kinko's web page has an order form displayed in a UI).

(19) regarding claim 31:

Hayward '004 discloses all the subject matter as described above except wherein the controller determines a file type in response to examining the print driver print stream from the client.

However, Wadley '014 teaches wherein the controller determines a file type in response to examining the print driver print stream from the client (paragraph [0039], where the context-analyzer determines what type of file is being printed).

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include that the controller determines a file type in response to examining the print driver print stream from the client as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

(20) regarding claim 38:

Hayward '004 and Wadley '014 disclose all the subject matter as described above except wherein the controller automatically selects the imaging device capabilities in response to the matching of system capabilities to job characteristics.

However, DeHority '639 teaches wherein the controller automatically selects the imaging device capabilities in response to the matching of system capabilities to job characteristics (column 12, lines 30-43, where the printer by been compare to the job characteristics is an indication of determining the capabilities in order to make the matching).

Having a system of Hayward '004 and Wadley '014 and then given the well-established teaching of DeHority '639 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 and Wadley '014 to include automatically selects the imaging device capabilities in response to the matching of system capabilities to job characteristics as taught by DeHority '639 because with this, to allow the user to specify that the print job should continue with the best match between the print job requirements and the printer capabilities. It is also an object of the present invention to provide a system that will determine the best match between the printer capabilities and the print job requirements (column 1, lines 67-68 and column 2, lines 1-5).

(21) regarding claims 41 and 42:

Hayward '004 discloses all the subject matter as described above except a user interface (UI) having an interface to the controller; and,

wherein the controller presents a user interface dialog for the selection of a means for determining the imaging system capabilities via the UI.

However, Wadley '014 teaches a user interface (UI) having an interface to the controller (Fig. 2); and,

wherein the controller presents a user interface dialog for the selection of a means for determining the imaging system capabilities (paragraph [0027], lines 1-5, where the print media type is determined, e.g. paper, plastic, etc. and paragraph [0028], lines 1-4, where the user has the option to select in the display panel), via the UI.

Having a system of Hayward '004 reference and then given the well-established teaching of Wadley '014 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method for adaptively controlling print options of Hayward '004 to include a user interface (UI) having an interface to the controller and, wherein the controller presents a user interface dialog for the selection of a means for determining the imaging system capabilities via the UI as taught by Wadley '014 because with this, it is provided a way for an organization to monitor the content of documents being printed on organization printer resources (paragraph [0009], lines 1-4), thus allowing for easy relocation of print jobs to printer devices.

5. Claims 7 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayward et al. (US 7,031,004), Wadley (US 2002/0181014) and DeHority (US 5,129,639) as applied to claims above, and further in view of Wiechers (US 2002/0075509).

Hayward '004, Wadley '014 and DeHority '639 disclose all the subject matter as described above except wherein determining available image processes includes determining an imaging device's resolution capabilities.

However, Wiechers '509 teaches wherein determining available image processes includes determining an imaging device's resolution capabilities (paragraph [0017]).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made wherein determining available image processes includes determining an imaging device's resolution capabilities as taught by Wiechers '509, in the system of Hayward '004, Wadley '014 and DeHority '639. In terms of network user parameters, the network addressable device then determines whether the printer candidate sufficiently satisfies user parameters including cost and time expectations (paragraph [0009], lines 5-8).

6. Claims 8 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayward et al. (US 7,031,004), Wadley (US 2002/0181014) and DeHority (US 5,129,639) as applied to claims above, and further in view of Neuhard et al. (US 6,052,198).

Hayward '004, Wadley '014 and DeHority '639 disclose all the subject matter as described above except storing the available print media information; and,

determining the available print media for subsequent imaging jobs in response to accessing the stored print media information.

However, Neuhard '198 teaches storing the available print media information (column 6, lines 62-67 and column 7, line 1, where print attribute information is being interpreted as containing print media information); and,

determining the available print media for subsequent imaging jobs in response to accessing the stored print media information (column 6, lines 62-67 and column 7, lines 1-8, when the printer driver program process the print attribute information, it recognizes the value, meaning that it would recognize the available media from the store information).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to store the available print media information and, determine the available print media for subsequent imaging jobs in response to accessing the stored print media information as taught by Neuhard '198, in the system of Hayward '004, Wadley '014 and DeHority '639. Thus when the print driver needs to process the information, the value could be easily recognize (column 7, lines 5-8), by doing this, the system becomes more efficient.

7. Claims 14-15 and 39-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayward et al. (US 7,031,004), Wadley (US 2002/0181014) and DeHority (US 5,129,639) in view of Wiechers (US 2002/0075509).

(1) regarding claims 14 and 39:

Hayward '004, Wadley '014 and DeHority '639 disclose all the subject matter as described above except establishing minimal match criteria; and,

following the matching of system capabilities to job characteristics, supplying a warning in response to detecting a match below the minimal match criteria.

However, Wiechers '509 teaches establishing minimal match criteria (paragraph [0025], lines 10-14, where the fact that the printer candidates need to meet or most nearly meet the user's parameters is clear evidence of a minimal match criteria); and,

following the matching of system capabilities to job characteristics, supplying a warning in response to detecting a match below the minimal match criteria (paragraph [0032], lines 1-4, where the user is made aware of the inability of the printing device to perform the job following the match criteria).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to establish minimal match criteria and, following the matching of system capabilities to job characteristics, supplying a warning in response to detecting a match below the minimal match criteria as taught by Wiechers '509, in the system of Hayward '004, Wadley '014 and DeHority '639. In terms of network user parameters, the network addressable device then determines whether the printer candidate sufficiently satisfies user parameters including cost and time expectations (paragraph [0009], lines 5-8).

(2) regarding claims 15 and 40:

Hayward '004, Wadley '014 and DeHority '639 disclose all the subject matter as described above except presenting a user with a user interface dialog for the selection of alternate imaging system capabilities in response to the warning.

However, Wiechers '509 teaches presenting a user with a user interface dialog for the selection of alternate imaging system capabilities in response to the warning (paragraph [0032], where the user can choose not to wait for an alternate printer being presented to him in order to substitute the printer that does not have certain capabilities).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to present a user with a user interface dialog for the selection of alternate imaging system capabilities in response to the warning as taught by Wiechers '509, in the system of Hayward '004, Wadley '014 and DeHority '639. In terms of network user parameters, the network addressable device then determines whether the printer candidate sufficiently satisfies user parameters including cost and time expectations (paragraph [0009], lines 5-8).

8. Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hayward et al. (US 7,031,004), Wadley (US 2002/0181014) and DeHority (US 5,129,639) view of Walker et al. (US Patent 6,561,643).

Hayward '004, Wadley '014 and DeHority '639 disclose all the subject matter as described above except a reader having an interface for accepting print media and for supplying decoded print media identification to the controller; and,

wherein the controller determines available print media to response to accepting the decoded print media identification from the reader.

However, Walker '643 teaches a reader having an interface for accepting print media and for supplying decoded print media identification to the controller (column 42,

Art Unit: 2625

lines 60-67 and column 43, lines 1-2, where the media sensor is being interpreted as the reader); and,

wherein the controller determines available print media to response to accepting the decoded print media identification from the reader (column 5, lines 46-48, where information about available media is being supplied to the user).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to have a reader having an interface for accepting print media and for supplying decoded print media identification to the controller and, wherein the controller determines available print media to response to accepting the decoded print media identification from the reader as taught by Walker '643, in the system of Hayward '004, Wadley '014 and DeHority '639. Thus, it would be desirable to provide an optical sensing system for determining information about the type of media entering the printing mechanism, so the printing mechanism can automatically adjust printing for optimal images without requiring user intervention (column 6, lines 19-23).

9. Claims 27 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hayward et al. (US 7,031,004), Wadley (US 2002/0181014) and DeHority (US 5,129,639) as applied to claims above, and further in view of Ferlitsch (US 6,943,905).

(1) regarding claims 27 and 34:

Hayward '004, Wadley '014 and DeHority '639 disclose all the subject matter as described above except a client, with a print driver, having an interface for sending imaging jobs to the print driver; and,

wherein the UI resides with the client.

However, Ferlitsch '905 teaches a client (column 8, lines 21-23), with a print driver (column 8, lines 25-28), having an interface for sending imaging jobs to the print driver (column 8, lines 21-28, since they are connected they have an interface to send the jobs); and,

wherein the UI resides with the client (column 8, lines 63-66, where the dialog is accessible from a client computing device).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to have a client, with a print driver, having an interface for sending imaging jobs to the print driver and, wherein the UI resides with the client as taught by Ferlitsch '905 in the system of Hayward '004, Wadley '014 and DeHority '639. With this a user of a client computer connected to the printer has access to the information about the imaging device status.

Conclusion

10. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2625

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LENNIN R. RODRIGUEZ whose telephone number is (571)270-1678. The examiner can normally be reached on Monday - Thursday 7:30am - 6:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, King Poon can be reached on (571) 272-7440. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/King Y. Poon/
Supervisory Patent Examiner, Art Unit 2625

/Lennin R Rodriguez/
Examiner, Art Unit 2625

Application/Control Number: 10/673,808
Art Unit: 2625

Page 34